

TEL/WhatsApp: +86 18622096679







NAME: GWTM-0318 Transformer core Taping Machine



SPECIFICATION

Tape width	15(8,12,15)	Max.winding speed	250rpm
Max.final coil.O.D	Ф50-200	Tape spacing	Proportional linkage
Min.final coil.I.D	Ф30	Supply voltage	AC 220V (50Hz)
Max.finalcoil height	80	Mechanical dimensions	550×500×1100
Controller storage capacity Programs	29 set	Weight	100kg

FEATURES:

Tape is loaded onto the magazine and cut automatically, and the winding speed of Transformer core Taping Machine increased in order to finish the job in minimum time.

The magazine of automatic tape winding machine may be exchanged in minutes to accommodate different tape widths.

Cable taping machine is controlled by gear set to precisely set the depth of tapping.

Special relay gear design for quick exchanging of pitch setting gears.

To increase the production volume, the main spindle belt is designed to be with lightly weight to reduce

GREWIN INDUSTRIAL GROUP CO.,LTD.

Add: The fouth floor A-A3 zone aviation business area, Dongli Distr, Tianjin, China.



TEL/WhatsApp: +86 18622096679







heat caused by motor spinning significantly.

ADVANTAGES:

High accuracy: stepper motor guarantees high accuracy

The cut surface is flat: the hot knife can heat seal the cut surface of the color ribbon and the light and thin textile belt, and the sealing is smooth and free of burrs.

The blade is made of imported high-quality steel and has a long service life.

Automatic operation: just set the length and number of cuts you need, and the rest of the work is done automatically.

APPLICATION:

A high speed automatic coil taping machine for application of insulation tape to wound coils. it is best suited to toroidal inductor, toroidal transformer, toroidal current transformer, toroidal coil, toroid choke coil, power inductors, power magnetics, UPS inductor, converter inductors, heavy toroidal core,etc.

The coil is placed by an operator on a rotating spindle, and the machine automatically applies the required number of turns of insulation tape, secures the end of the tape with a wiping action, and ejects the coil from the machine.

It's an accurately and reliability digital automatic toroid-taping machine. It is used for wraping the insulation tape on the toroidal core and windings. Automatic Toroid Transformer Coil Taping Machine is designed to operate with a wide variety of insulation tapes, including Kapton, Polyester, PEN, PVC, PPS, and most other woven and non-woven types.





TEL/WhatsApp: +86 18622096679

Mail: admin@coilwindingmachinechina.com Web:www.coilwindingmachinechina.com





PRACTICAL APPLICATION:

TRAINNING CUSTOMER TO OPERATE WINDING MACHNE:


- 1.All service engineers with 10 years experience are gotten special technology training, who can deal wi th various breakdown problem.
- 2. Guide the user to use accurately and how to maintain the Transformer core Taping Machine .

Provide free consultation about production process technology of electronic High Speed Winding Machine .

3.In order to guarantee the machine used normally, we'd have training on how to operate, use and maint ain our product by English manual, video, guiding on line.











TEL/WhatsApp: +86 18622096679







PACKAGING:

Packaging Material: Carton/Wooden case with foam inside.

- 1.General package(Paper carton or plastic bag): For small eulpped parts for Transformer core Taping Machine, Package it with form and pack paper to guarantee unbroken during the transport.
- 2.Wooden case package: For larger scaleTransformer core Taping Machine ,we have special skilled carpenter, who would make the proper wooden case with exact thickness,density,length. The up arrow ↑ marked on the outer wooden case. Buffer material would be put in the wooden case to prevent crack a nd shock.









TEL/WhatsApp: +86 18622096679







OPTIONAL ACCESSORIES

NO.	NAME	MATERIAL CODE	QUANTITY	UNIT
1	TRANSDUCER PNP	2.2.10.001	1	PIECE
2	GREEN SWITCH	2.2.04.004	3	PIECE
3	RED SWITCH	2.2.04.003	2	PIECE
4	LEFT RIGHT SWITCH	2.2.04.005	2	PIECE
5	2.2K POTENTIOMETER	2.2.16.003	1	PIECE
6	POWER SWITCH	2.2.04.002	1	PIECE
7	PLATE IRON PEDAL CIRCUIT BOARD	2.2.09.023	2	PIECE
8	FOOT PEDAL COPPER SHEET	2.3.99.001	2	PIECE
9	220XL-17 SYNCHRONOUS BELT	2.1.02.028	1	PIECE
10	162XL SYNCHRONOUS BELT	2.1.02.012	1	PIECE
11	424XL SYNCHRONOUS BELT	2.1.02.046	1	PIECE
12	8MM LEATHER BELT	2.1.03.003	3	PIECE
13	WRAP STRING CUTTER	2.3.99.042	2	PIECE
14	(0.01) TENSION SPRING	3.1.02.09.067	4	PIECE
15	INNER SIX ANGLE	5.1.01.14.019	1	PIECE
16	MANUAL BOOK	5.04.01.102	1	PIECE
17	FOOT PEDAL	3.1.02.09.059	1	PIECE
18	CHASSIS RUBBER FEET	2.1.17.028	4	PIECE
19	(2073B)WIRE GUIDE WHEEL	3.2.06.016	3	PIECE
20	HIGH SPEED MACHINE RUBBER WHEEL	3.3.106	8	PIECE



TEL/WhatsApp: +86 18622096679

Mail: admin@coilwindingmachinechina.com Web:www.coilwindingmachinechina.com





FACTORY:

We-GREWIN INDUSTRIAL GROUP is expert in winding machines lines for 28Years. Our Grewin have I SO9001:2015,CE approvals,Machines'Patents,"high-tech enterprises"by the government.





GREWIN INDUSTRIAL GROUP CO.,LTD.

Add: The fouth floor A-A3 zone aviation business area, Dongli Distr, Tianjin, China.